

Table 1300. Medical Doctors and Inpatient Care—Selected Countries:
1990 to 2005

| Country | Medical doctors per 1,000 population | | | Inpatient care | | | | | |
|----------------------|---|------|------------------|---|------|------------------|----------------------------------|------|------|
| | | | | Acute care beds per 1,000 population | | | Average length of stay (days) | | |
| | 1990 | 2000 | 2005 | 1990 | 2000 | 2005 | 1990 | 2000 | 2005 |
| United States | 2.1 | 2.3 | 2.4 | 3.7 | 2.9 | 2.7 | 9.1 | 6.8 | 5.6 |
| Australia | 2.2 | 2.5 | 4 ^{2.7} | 4.8 | 3.8 | 4 ^{3.6} | (NA) | 16.0 | 6.1 |
| Austria | 2.2 | 3.1 | 3.5 | 7.5 | 6.6 | 6.1 | 12.8 | 8.6 | 5.9 |
| Belgium | 3.3 | 3.9 | 4.0 | 5.2 | 5.0 | 4.4 | 13.8 | (NA) | 7.1 |
| Canada | 2.1 | 2.1 | 2.2 | 4.0 | 3.2 | 4 ^{2.9} | 13.0 | (NA) | 7.3 |
| Czech Republic | 2.7 | 3.4 | 3.6 | 8.6 | 6.6 | 5.7 | 15.4 | 11.4 | 8.0 |
| Denmark | 2.9 | 3.3 | 4 ^{3.6} | 4.1 | 3.5 | 4 ^{3.1} | 8.2 | 6.0 | 3.5 |
| Finland | 2.0 | 2.3 | 2.4 | 4.3 | 3.2 | 2.9 | 18.2 | 10.3 | 4.8 |
| France | 3.1 | 3.3 | 3.4 | 5.2 | 4.1 | 3.7 | 15.1 | 13.2 | 5.4 |
| Germany | 1 ^{2.8} | 3.3 | 3.4 | 8.3 | 6.8 | 6.4 | (NA) | 11.4 | 8.6 |
| Greece | 3.4 | 4.3 | 4 ^{4.9} | (NA) | 3.8 | 4 ^{3.8} | 9.9 | 8.4 | 6.0 |
| Hungary | 2.8 | 3.1 | 3.0 | 7.1 | 6.3 | 5.5 | 12.6 | 8.9 | 6.3 |
| Iceland | 2.8 | 3.4 | 3.7 | 4.3 | (NA) | (NA) | 18.3 | (NA) | 5.4 |
| Ireland | 2 ^{2.0} | 2.2 | 2.8 | 3.2 | 3.0 | 2.8 | 7.9 | 7.4 | 6.6 |
| Italy | 3 ^{3.8} | 4.1 | 3.8 | 6.2 | 4.2 | 3.3 | 11.7 | 7.7 | 6.8 |
| Japan | 1.7 | 1.9 | 4 ^{2.0} | 12.3 | 9.6 | 8.2 | 50.5 | 39.1 | 19.8 |
| Korea, South | 0.8 | 1.3 | 1.6 | 2.7 | 5.2 | 6.5 | 13.0 | 14.0 | 10.6 |
| Luxembourg | 2.0 | 2.1 | 2.5 | 6.7 | 5.9 | 5.2 | 17.6 | (NA) | 7.3 |
| Mexico | 1.0 | 1.6 | 1.8 | 1.0 | 1.0 | 1.0 | (NA) | 4.2 | 4.0 |
| Netherlands | 2.5 | 3.2 | 3.7 | 3.8 | 3.1 | 3.1 | 16.0 | 12.9 | 6.8 |
| New Zealand | 1.9 | 2.2 | 4 ^{2.2} | (NA) | (NA) | (NA) | 9.4 | 8.0 | (NA) |
| Norway | 1 ^{2.6} | 2.9 | 3.7 | 3.8 | 3.1 | 3.0 | (NA) | 8.9 | 5.2 |
| Poland | 2.1 | 2.2 | 2.1 | 6.3 | 5.2 | 4.7 | 12.5 | 8.9 | 6.5 |
| Portugal | 2.8 | 3.1 | 3.4 | 3.4 | 3.3 | 3.0 | 10.8 | 9.2 | 7.1 |
| Slovakia | (NA) | 3.1 | 4 ^{3.1} | (NA) | 6.5 | 5.0 | (NA) | 10.4 | 7.3 |
| Spain | (NA) | 3.2 | 3.8 | 3.6 | 3.0 | 4 ^{2.6} | 12.2 | 9.0 | 6.7 |
| Sweden | 2.9 | 3.1 | 4 ^{3.4} | 4.1 | 2.4 | 2.2 | 18.0 | 6.4 | 4.6 |
| Switzerland | 3.0 | 3.5 | 3.8 | 6.5 | 4.1 | 3.6 | (NA) | 12.8 | 8.5 |
| Turkey | 0.9 | 1.3 | 4 ^{1.5} | 2.0 | 2.2 | 2.0 | 6.9 | 5.9 | 5.2 |
| United Kingdom | 3 ^{1.6} | 2.0 | 2.4 | (NA) | 3.8 | 3.1 | 17.6 | 8.4 | 6.1 |

NA Not available. ¹ 1991 data. ² 1992 data. ³ 1993 data. ⁴ 2004 data. ⁵ Acute care only.

Source: Organization for Economic Cooperation and Development, Paris, France, *OECD Health Data 2007* (copyright).