Appendix. Source and Reliability of the Estimates

SOURCE OF DATA

The estimates of school enrollment in 1979 are based on data obtained in October of 1979 in the Current Population Survey (CPS) conducted by the Bureau of the Census. The CPS sample was initially selected from the 1970 census file and is updated continuously to reflect new construction where possible. The October sample was spread over 614 areas with coverage in each of the 50 States and the District of Columbia. In the sample, approximately 56,000 occupied households were eligible for interview. Of this number, about 2,000 occupied units were visited but interviews not obtained because the occupants were not found at home after repeated calls or were unavailable for some other reason. In addition to the 56,000, there were also about 10,000 sample units which were visited but were found to be vacant or otherwise not to be interviewed. For a description of CPS sample designs prior to 1979, see the detailed report for 1978 in this series.

The estimating procedure used in this survey involved the inflation of the weighted sample results to independent estimates of the total civilian noninstitutional population of the United States by age, race, and sex. These independent estimates are based on statistics from decennial censuses; statistics on births, deaths, immigration and emigration; and statistics on the strength of the Armed Forces.

RELIABILITY OF THE ESTIMATES

Since the estimates in this report are based on a sample, they may differ somewhat from the figures that would have been obtained if a complete census had been taken using the same questionnaires, instructions, and enumerators. There are two types of errors possible in an estimate based on a sample survey—sampling and nonsampling. For estimates in this report, indications of the magnitude of sampling error are provided but the extent of nonsampling error is unknown. Consequently, particular care should be exercised in the interpretation of figures based on a relatively small number of cases or on small differences between estimates.

Sampling Variability. The standard errors presented in tables A-1 and A-2 are primarily measures of sampling variability; that is, of the variations that occur by chance because a sample rather than the entire population was surveyed. As calculated, the standard error also partially measures the effect of certain response and enumerator errors, but it does not measure any systematic biases in the data. The sample

estimate and its standard error enable one to construct confidence intervals; that is, ranges that would include with a known probability the average result of all possible samples. For example, if all possible samples were selected, each of these surveyed under the same general conditions and using the same sample design, and an estimate and its standard error were calculated from each sample, then:

- Approximately 68 percent of the intervals from one standard error below the estimate to one standard error above the estimate would include the average result of all possible samples.
- Approximately 90 percent of the intervals from 1.6 standard errors below the estimate to 1.6 standard errors above the estimate would include the average result of all possible samples.
- Approximately 95 percent of the intervals from two standard errors below the estimate to two standard errors above the estimate would include the average result of all possible samples.

All statements of comparison in the text are significant at a 1.6 standard error level or better and most are significant at a level of more than 2.0 standard errors. This means that, for most differences cited in the text, the estimated difference is greater than twice the standard error of the difference. Statements of comparison qualified in some way (e.g., by the use of the phrase, "some evidence") have a level of significance between 1.6 and 2.0 standard errors.

Note when using small estimates. Percent distributions are shown in this report only when the base of the percentage is greater than 75,000. Because of the large standard errors involved, there is little chance that percentages would reveal useful information when computed on a smaller base. Estimated numbers of persons are shown, however, even though the relative standard errors of these numbers are larger than those for the corresponding percentages. These smaller estimates are provided primarily to permit such combinations of the categories as serve each user's needs.

STANDARD ERRORS FOR DATA BASED ON CPS

Since this is an advance report, standard errors are provided in tables A-1 and A-2 for estimated numbers of persons and estimated percentages for only certain characteristics which are considered the most important among the data in the report.

More detailed standard error tables for each characteristic of interest for estimated numbers of persons and estimated percentages are provided in the detailed report for 1978 in this series. A more complete source and reliability statement for the 1979 data will be published with the forthcoming 1979 detailed report.

Standard errors of estimated numbers and estimated percentages. Standard errors of estimated numbers and estimated percentages can be computed directly with formulas (1) and (2) below, respectively. The formulas are:

$$\sigma_{x} = \sqrt{ax^{2} + bx} \tag{1}$$

Here x is the size of the estimate and a and b are the parameters associated with the characteristic.

$$\sigma_{(\mathbf{x},\mathbf{p})} = \sqrt{\frac{\mathbf{b}}{\mathbf{x}} \cdot \mathbf{p} \cdot (100 - \mathbf{p})}$$
 (2)

Here x is the size of the subclass of the population which is the base of the percentage, p is the percentage $(0 \le p \le 100)$, and b is the parameter associated with the characteristic.

Table A-3 provides the values of the a and b parameters that are used in formulae (1) and (2) to create standard errors of estimated number of persons and estimated percentages.

Table A-1. Standard Errors of Estimated Numbers of Persons Enrolled in School for the Total or White, Black, and Spanish-Origin Population: October 1979

(68 chances out of 100. Numbers in thousands)

Enrollment	Total or White		Black		Spanish origin	
	Estimate	Standard error	Estimate	Standard error	Estimate	Standard error
Total enrolled	57,854	257	8,317	102	3,608	116
Nursery	1,869	53	278	22	89	19
Private	1,233	44	93	13	39	12
Kindergarten	3,025	64	497	29	226	29
Private	432	27	54	10	16	8
Elementary	27,865	212	4,296	93	1,934	86
Private	3,109	79	243	26	189	27
High school	15,116	166	2,245	73	920	59
Private	1,122	48	74	14	45	13
College	9,978	138	1,002	51	440	41
Private	2,280	68	188	23	75	17
Full time	7,010	117	748	45	314	35

Source: Estimates from table 1.

Table A-2. Standard Errors of Estimated Percentages of Persons 3 to 34 Years Old Enrolled in School for the Total or White, Black, and Spanish-Origin Population: October 1979

(68 chances out of 100)

Age	Total or White		Black		Spanish origin	
	Estimate	Standard error	Estimate	Standard error	Estimate	Standard error
3 to 34 years	50.3	0.2	55.0	0.7	48.6	1.1
3 and 4 years	35.1	0.8	40.8	2.1	22.5	3.7
5 and 6 years	95.8	0.3	96.0	0.8	92.5	2.4
7 to 9 years	99.2	0.13	99.4	0.3	98.7	0.8
10 to 13 years	99.1	0.11	98.7	0.4	99.0	0.7
14 and 15 years	98.1	0.2	97.4	0.8	96.3	1.6
16 and 17 years	89.2	0.5	90.8	1.4	82.3	3.4
18 and 19 years	45.0	0.8	46.6	2.5	39.9	4.3
20 and 21 years	30.2	0.7	23.7	2.2	22.6	3.7
22 to 24 years	15.8	0.5	15.0	1.6	10.0	2.2
25 to 29 years	9.6	0.3	7.9	1.0	7.8	1.6
30 to 34 years	6.4	0.3	6.8	1.0	6.7	1.6

Source: Estimates from table 6.

Table A-3. Parameters to be Used for Each School Enrollment Characteristic for the Direct Computation of Standard Errors

Characteristic	Parameters			
Onal acteristic	а	b		
Educational attainment and school enrollment:				
Total or White	-0.000016	2064		
Black or other	-0.000186	2792		
Spanish origin	-0.000025	3851		
Kindergarten and nursery school enrollment:				
All races	-0.000126	1738		
Spanish origin	-0.000025	3851		