Section V - Chapter 27

Mineral Fuels, Mineral Oils and Products of Their Distillation; Bituminous Substances; Mineral Waxes

Notes

- 1. This chapter does not cover:
 - (a). Separate chemically defined organic compounds, other than pure methane and propane which are to be classified in heading 2711;
 - (b). Medicaments of heading 3003 or 3004; or
 - (c). Mixed unsaturated hydrocarbons of heading 3301, 3302 or 3805.
- 2. References in heading 2710 to "petroleum oils and oils obtained from bituminous minerals" include not only petroleum oils and oils obtained from bituminous minerals, but also similar oils, as well as those consisting mainly of mixed unsaturated hydrocarbons, obtained by any process, provided that the weight of the nonaromatic constituents exceeds that of the aromatic constituents. However, the references do not include liquid synthetic polyolefins of which less than 60 percent by volume distills at 300 degrees C, after conversion to 1,013 millibars when a reduced-pressure distillation method is used (chapter 39).
- 3. For the purposes of heading 2710, "waste oils" means waste containing mainly petroleum oils and oils obtained from bituminous minerals (as described in note 2 to this chapter), whether or not mixed with water. These include:
 - (a). Such oils no longer fit for use as primary products (for example, used lubricating oils, used hydraulic oils and used transformer oils);
 - (b). Sludge oils from the storage tanks of petroleum oils, mainly containing such oils and a high concentration of additives (for example, chemicals) used in the manufacture of the primary products; and
 - (c). Such oils in the form of emulsions in water or mixtures with water, such as those resulting from oil spills, storage tank washings, or from the use of cutting oils for machining operations.

Subheading Notes

- 1. For the purposes of subheading 2701.11, "anthracite" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) not exceeding 14 percent.
- 2. For the purposes of subheading 2701.12, "bituminous coal" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) exceeding 14 percent and a calorific value limit (on a moist, mineral-matter-free basis) equal to or greater than 5,833 kcal/kg.

- 3. For the purposes of subheadings 2707.10, 2707.20, 2707.30 and 2707.40, the terms "benzol (benzene)", "toluol (toluene)", "xylol (xylenes)", and "naphthalene" apply to products which contain more than 50 percent by weight of benzene, toluene, xylenes or naphthalene, respectively.
- 4. For the purposes of subheading 2710.12, "light oils and preparations" are those of which 90 percent or more by volume (including losses) distill at 210 °C according to the ISO 3405 method (equivalent to the ASTM D 86 method).
- 5. For the purposes of the subheadings of heading 2710, the term "biodiesel" means mono-alkyl esters of fatty acids of a kind used as a fuel, derived from animal, vegetable or microbial fats and oils whether or not used.

Statistical Notes

- 1. For the purposes of this chapter, the term barrel (bbl) means a barrel of 158.98 liters (42 gallons) measured at 15.6 degrees C.
- 2. For the purposes of subheading 2701.19, "sub-bituminous coal" means coal that contains 20 to 30 percent inherent moisture by weight and a heat content of 17 to 20 million Btu per ton on a moist, mineral-matter-free basis.
- 3. For the purpose of heading 2710, "petroleum oils" includes only products having:
 - (a). A Congealing Point (ASTM D 938) of less than 30 degrees C; or
 - (b). If the Congealing Point is not less than 30 degrees C:
 - (i). a density at 70 degrees C of less than 0.942 and a Worked Cone Penetration (ASTM D 217) or a Cone Penetration (ASTM D 937) at 25 degrees C of not less than
 - (ii). if the density at 70 degrees C is not less than 0.942 having a Needle Penetration (ASTM D 5) at 25 degrees C of not less than 400.
- 4. For the purpose of subheading 2710.12.15, "motor fuel" is any product derived primarily from petroleum, shale or natural gas, whether or not containing additives, which is principally used as a fuel in internal-combustion or other engines.
- 5. For the purpose of subheadings 2710.12.18 and 2710.19.22, "motor fuel blending stock" means any product (except naphthas of subheading 2710.12.25) derived primarily from petroleum, shale oil or natural gas, whether or not containing additives, to be used for direct blending in the manufacture of motor fuel.
- 6. In determining the relative weights of components of the mixtures provided for in subheading 2710.12.45 and 2710.19.45, naphtha and other petroleum derivatives which may be present in such mixtures as solvents shall be disregarded.
- 7. Subheading 2712.10.00 does not include petroleum jelly, suitable for use for the care of the skin, put up in packings of a kind sold at retail for such use (subheading 3304.99.10).

8. For the purposes of heading 2716, the term "electrical energy" does not include electrical energy transmitted as a medium of communication.			

Schedule B No. and Headings	Commodity Description	Unit of Quantity	Second Quantity
27	Mineral Fuels, Mineral Oils and Products of Their Distillation;		
	Bituminous Substances; Mineral Waxes		
2701	- Coal; briquettes, ovoids and similar solid fuels manufactured from		
	coal:		
2701.11.0000	- Coal, whether or not pulverized, but not agglomerated: Anthracite	t	
2701.11.0000	Bituminous coal:		
2701.12.0010	Metallurgical coal	t	
2701.12.0050	Other	t	
2701.19	Other coal:		
2701.19.0010	Sub-bituminous coal	t	
2701.19.0050	Other	t	
2701.20.0000	Briquettes, ovoids and similar solid fuels manufactured from coal		
2702	Limite whether an act and accepted avaluation ist.	t	
2702 2702.10.0000	Lignite, whether or not agglomerated, excluding jet:- Lignite, whether or not pulverized, but not agglomerated	t	
2702.10.0000	Agglomerated lignite	t	
2703.00.0000	- Peat (including peat litter), whether or not agglomerated	t	
2704	- Coke and semicoke of coal, of lignite or of peat, whether or not		
	agglomerated; retort carbon:		
2704.00.0010	Coal coke and semicoke, commercially suitable for use as fuel	t	
2704.00.0020	Coal coke and semicoke, not commercially suitable for use as fuel		
		t	
2704.00.0050	- Other	t	
2705.00.0000	- Coal gas, water gas, producer gas and similar gases, other than petroleum gases and other gaseous hydrocarbons	Ths m3	
2706.00.0000	- Tar distilled from coal, from lignite or from peat, and other mineral	1113 1113	
2700.00.000	tars, whether or not dehydrated or partially distilled, including		
	reconstituted tars	liters	
2707	- Oils and other products of the distillation of high temperature coal		
	tar; similar products in which the weight of the aromatic		
	constituents exceeds that of the nonaromatic constituents:		
2707.10.0000	Benzene	liters	
2707.20.0000	Toluene	liters	
2707.30	Xylenes:	liters	
2707.30.0020 2707.30.0030	o-Xylene p-Xylene	liters	
2707.30.0030	Other	liters	
2707.40.0000	Naphthalene	liters	
2707.50.0000	Other aromatic hydrocarbon mixtures of which 65 percent or		
	more by volume (including losses) distills at 250 °C by the ISO 3405		
	method (equivalent to the ASTM D 86 method)	liters	
	Other:	11.	
2707.91.0000	Creosote oils	liters	
2707.99	Other:	liters	
2707.99.1000	Light oil Picolines	kg	
2707.99.2000	FICUIITES	^ 8	

Schedule B No. and Headings	Commodity Description	Unit of Quantity	Second Quantity
2707.99.4000	Carbazole having a purity of 65 percent or more by weight	kg	
2707.99.5500	Metacresol, orthocresol, paracresol and metaparacresol, all		
	the foregoing having a purity of 75 percent or more by weight	kg	
2707.99.5800	Other	kg	
2707.99.9010	Other: Carbon black feedstock	Bbl	
2707.99.9010	Other	kg	
2707.55.5050	- Pitch and pitch coke, obtained from coal tar or from other mineral	ρ	
2700	tars:		
2708.10.0000	Pitch	kg	
2708.20.0000	Pitch coke	kg	
2709	- Petroleum oils and oils obtained from bituminous minerals, crude:		
2709.00.1000	Testing under 25 degrees A.P.I	Bbl	
	Testing 25 degrees A.P.I. or more:		
2709.00.2010	Condensate derived wholly from natural gas	Bbl	
2709.00.2090	Other	Bbl	
2710	- Petroleum oils and oils obtained from bituminous minerals, other		
	than crude; preparations not elsewhere specified or included,		
	containing by weight 70 percent or more of petroleum oils or of oils		
	obtained from bituminous minerals, these oils being the basic		
	constituents of the preparations; waste oils: Petroleum oils and oils obtained from bituminous minerals (other		
	than crude) and preparations not elsewhere specified or included,		
	containing by weight 70 percent or more of petroleum oils or of oils		
	obtained from bituminous minerals, these oils being the basic		
	constituents of the preparations, other than those containing		
	biodiesel and other than waste oils:		
2710.12	Light oils and preparations:		
_,	Motor fuel:		
2710.12.1510	Gasoline, leaded	Bbl	
	Gasoline, unleaded:		
2710.12.1514	Reformulated	Bbl	
2710.12.1519	Other	Bbl	
2710.12.1520	Jet fuel, naphtha-type	Bbl	
2710.12.1550	Other	Bbl	
2710.12.1805	Motor fuel blending stock: Reformulated blendstock for oxygenate blending (RBOB)	Bbl	
2710.12.1803	Other	Bbl	
2710.12.1830	Naphthas (except motor fuel or motor fuel blending stock)	Bbl	
2710.12.2300	Other:		
2710.12.3500	Natural gasoline derived wholly from natural gas	Bbl	
2710.12.4550	Mixtures of hydrocarbons not elsewhere specified or		
	included, which contain by weight not over 50 percent of any single		
	hvdrocarbon compound	Bbl	
	Other:		

Schedule B No. and Headings	Commodity Description	Unit of Quantity	Second Quantity
2710.12.9010 2710.12.9090	Petroleum derived alkylate Other	Bbl Bbl	
2710.19	 Other: Distillate and residual fuel oils (including blended fuel oils): Testing under 25 degrees A.P.I.:		
	Having a Saybolt Universal viscosity at 37.8 degrees C of 45		
	seconds or more but not more than 125 seconds (No. 4-type fuel		
2710.19.0605	oils): Containing not more than 500 ppm of sulfur	Bbl	
2710.19.0615	Containing more than 500 ppm of sulfur	Bbl	
	Having a Saybolt Universal viscosity at 37.8 degrees C of		
2710.19.0621	more than 125 seconds (heavy fuel oils): Containing not more than 1,000 ppm of sulfur	Bbl	
2710.19.0624	Containing more than 1,000 ppm of sulfur but not more	551	
	than 5,000 ppm of sulfur	Bbl	
2710.19.0626	Containing more than 5,000 ppm of sulfur but not more	DLI	
2710.19.0628	than 10,000 ppm of sulfur Containing more than 10,000 ppm of sulfur	Bbl Bbl	
2710.19.0650	Other	Bbl	
	Testing 25 degrees A.P.I. or more:		
	Having a Saybolt Universal viscosity at 37.8 degrees C of less		
2710 10 1106	than 45 seconds (light fuel oils):	Bbl	
2710.19.1106 2710.19.1109	Containing not more than 15 ppm of sulfur Containing more than 15 ppm but not more than 500 ppm	DDI	
_,	of sulfur	Bbl	
2710.19.1112	Containing more than 500 ppm of sulfur	Bbl	
	Having a Saybolt Universal viscosity at 37.8 degrees C of 45		
	seconds or more but not more than 125 seconds (No. 4-type fuel		
2710.19.1115	oils): Containing not more than 500 ppm of sulfur	Bbl	
2710.19.1125	Containing more than 500 ppm of sulfur	Bbl	
2710.19.1150	Having a Saybolt Universal viscosity at 37.8 degrees C of		
2740 40 4600	more than 125 seconds (heavy fuel oils)	Bbl Bbl	
2710.19.1600	Kerosene-type jet fuel Kerosene (except kerosene-type jet fuel):	DUI	
2710.19.2400	Motor fuel	Bbl	
2710.19.2500	Motor fuel blending stock	Bbl	
2710.19.2600	Kerosene (excepte motor fuel or motor fuel blending stock)	Bbl	
	Lubricating oils and greases, with or without additives:		
2710.19.3010	Aviation engine lubricating oils, except jet engine lubricating		
	oils	Bbl	
2710.19.3020	Automotive, diesel and marine engine (except turbine)	51.1	
2710 10 2020	lubricating oils	Bbl	
2710.19.3030 2710.19.3040	Turbine lubricating oils, including marine Automotive gear oils	Bbl Bbl	
2710.19.3050	Steam cylinder oils	Bbl	

Schedule B No. and Headings	Commodity Description	Unit of Quantity	Second Quantity
2710.19.3070	Quenching or cutting oils	Bbl	
2710.19.3080	Other	Bbl	
2710.19.3750	Greases	Bbl	
	Other:		
	Mixtures of hydrocarbons not elsewhere specified or included, which contain by weight not over 50 percent of any single		
	hydrocarbon compound:		
	White mineral oil:		
2710.19.4530	Medicinal grade	Bbl	
2710.19.4540	Other	Bbl	
2710.19.4545	Insulating or transformer oils	Bbl Bbl	
2710.19.4590 2710.19.9000	Other Other	-	
2710.19.9000	Petroleum oils and oils obtained from bituminous minerals (other	kg	
2710.20.0000	than crude) and preparations not elsewhere specified or included,		
	containing by weight 70 percent or more of petroleum oils or of oils		
	obtained from bituminous minerals, these oils being the basic		
	constituents of the preparations, containing biodiesel, other than	DI I	
	Waste oils:	Bbl	
2710.91	Containing polychlorinated biphenyls (PCBs), polychlorinated		
2710.51	terphenyls (PCTs) or polybrominated biphenyls (PBBs)		
2710.91.0010	Containing polychlorinated biphenyls (PCBs) at a concentration		
	level of 50 mg/kg or more	Bbl	
2710.91.0050	Other, containing polychlorinated terphenyls (PCTs) or		
	polybrominated biphenyls (PBBs), whether or not also containing		
	polychlorinated biphenyls (PCBs) at a concentration level of less than	Bbl	
2710.99.0000	50 mg/kg Other	Bbl	
2711	- Petroleum gases and other gaseous hydrocarbons:		
	Liquefied:		
2711.11.0000	Natural gas	m3	
2711.12	Propane:	m3	
2711.12.0010 2711.12.0020	Propane with a minimum purity of 90 liquid volume percent Other	m3	
2711.12.0020	Butanes	m3	
2711.14.0000	Ethylene, propylene, butylene and butadiene	kg	
2711.19	Other:		
2711.19.0010	Ethane	kg	
2711.19.0020	Other	kg	
2711.21.0000	In gaseous state: Natural gas	m3	
2711.21.0000	Other		

kg

Schedule B No. and Headings	Commodity Description	Unit of Quantity	Second Quantity
2712	- Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack		
	wax, ozokerite, lignite wax, peat wax, other mineral waxes, and		
	similar products obtained by synthesis or by other processes,		
	whether or not colored:		
2712.10.0000	Petroleum jelly	kg	
2712.20.0000	Paraffin wax containing by weight less than 0.75 percent of oil	kg	
2712.90.0000	Other	kg	
2713	- Petroleum coke, petroleum bitumen and other residues of		
	petroleum oils or of oils obtained from bituminous minerals: Petroleum coke:		
2713.11.0000	Not calcined	t	
2713.12.0000	Calcined	t	
2713.20.0000	Petroleum bitumen	t	
2713.90.0000	Other residues of petroleum oils or of oils obtained from		
	bituminous minerals	t	
2714	- Bitumen and asphalt, natural; bituminous or oil shale and tar		
	sands; asphaltites and asphaltic rocks:		
2714.10.0000	Bituminous or oil shale and tar sands	t	
2714.90.0000	Other	t	
2715.00.0000	- Bituminous mixtures based on natural asphalt, on natural bitumen,		
	on petroleum bitumen, on mineral tar or on mineral tar pitch (for		
	example, bituminous mastics, cut-backs)	t	
2716.00.0000	- Electrical energy	MWh	